

# ARGINAID<sup>®</sup>, BENEPROTEIN<sup>®</sup>, GLUTASOLVE<sup>®</sup>, and NUTRISOURCE<sup>®</sup> FIBER

## Instructions for Administering Through a Feeding Tube



### ARGINAID<sup>®</sup> Arginine Powder<sup>\*\*†</sup>

Mix one packet with 4-6 fl oz (120-180 mL) water. Administer by syringe through a feeding tube.<sup>††</sup> Flush afterwards with a minimum of 1-2 fl oz (30-60 mL) water.

One 9.2 g packet provides 50 calories, 4.5 g L-arginine, 156 mg vitamin C, and 40.9 mg per pack vitamin E.

One packet provided two times per day is recommended. Usage may vary according to individual assessment by a medical professional.

**This product is intended for use under medical supervision.**



### BENEPROTEIN<sup>®</sup> Instant Protein Powder<sup>\*†</sup>

Mix one scoop or one packet with 2-4 fl oz (60-120 mL) water until dissolved. Administer by syringe through a feeding tube. Flush afterwards with a minimum of 1-2 fl oz (30-60 mL) water.

One scoop or one 7 g packet provides 25 calories and 6 g protein.



### GLUTASOLVE<sup>®</sup> Glutamine Powder<sup>\*\*†</sup>

Mix one packet with 2-4 fl oz (60-120 mL) warm water. Administer immediately by syringe through a feeding tube. Minimum tube size recommended is 8 Fr. Flush tube with a minimum of 1-2 fl oz (30-60 mL) water before and after administration.

One 22.5 g packet provides 90 calories and 15 g L-glutamine.

**This product is intended for use under medical supervision.**



### NUTRISOURCE<sup>®</sup> FIBER Soluble Fiber Supplement<sup>\*†</sup>

Mix one tablespoon or one packet with 2-4 fl oz (60-120 mL) water, until dissolved. Administer by syringe through a feeding tube. Flush afterwards with a minimum of 1-2 fl oz (30-60 mL) water.

One tablespoon or one 4 g packet provides 5 calories and 3 g soluble fiber.

**\*THIS PRODUCT IS ONLY APPROPRIATE FOR USE IN INDIVIDUALS GREATER THAN 3 YEARS OLD.**

**\*\*SUITABLE FOR USE IN AGES 14 AND OLDER.**

<sup>†</sup> Adding modular ingredients directly to enteral formula is not recommended.

<sup>††</sup> Due to the moderate acidity (pH 3.0-4.0) of ARGINAID<sup>®</sup>, consult with a medical professional prior to use in a surgical jejunostomy.

Specialized nutrition for your patients' unique needs

[www.NestleMedicalHub.com](http://www.NestleMedicalHub.com)

1-800-422-ASK2 (2752) • Bridgewater, NJ 08807 USA  
All trademarks are owned by Société des Produits Nestlé S.A., Vevey, Switzerland.  
©2024 Nestlé.

NEST-14757-0424

